



**Materials & Finishes - Standard:**

- **Base Metal:** Steel conforms to ASTM A1011 SS GR 33, A1011 HSLAS GR 45, A36, A575, A576, or A635.
- **Electrogalvanized (EG):** Conforms to ASTM B633, Type III SC1
- **Power-Strut Defender (DF):** Conforms to ASTM A1059
- **Hot Dip Galvanized (HG):** Conforms to ASTM A123 or A153
- **Perma-Green (GR):** Conforms to commercial standards for powder coating
- **Perma-Gold (ZD):** Conforms to ASTM B633, Type II SC1
- **Plain (PL):** No finish

**Materials & Finishes - Special Metals:**

- **Stainless Steel, Type 304 (SS):** Conforms to ASTM A240 or A276, Type 304 \*
- **Stainless Steel, Type 316 (ST):** Conforms to ASTM A240 or A276, Type 316 \*
- **Aluminum (AL):** Conforms to ASTM B209, Type 1100F or 5052-H32 \*

\* These materials have different physical properties and performance characteristics. Please [contact us](#) for design support.

Part No.	A	Finish	Product Weight / Piece (lbs)
PS 993 4	4" (102)	EG	0.78
PS 993 4	4" (102)	HG	0.827
PS 993 4	4" (102)	GR	0.78
PS 993 4	4" (102)	SS	0.76
PS 993 5	5" (127)	EG	0.89
PS 993 5	5" (127)	HG	0.943
PS 993 5	5" (127)	GR	0.89
PS 993 5	5" (127)	SS	0.86
PS 993 6	6" (152)	EG	1.01
PS 993 6	6" (152)	HG	1.071
PS 993 6	6" (152)	GR	1.01
PS 993 6	6" (152)	SS	1.01
PS 993 7	7" (178)	HG	1.187
PS 993 7	7" (178)	GR	1.12
PS 993 7	7" (178)	SS	1.12
PS 993 8	8" (203)	EG	1.24
PS 993 8	8" (203)	HG	1.314
PS 993 8	8" (203)	GR	1.24
PS 993 8	8" (203)	SS	1.24

<b>Project:</b>	<input style="width: 100%;" type="text"/>		
<b>Architect / Engineer:</b>	<input style="width: 100%;" type="text"/>		
<b>Date:</b>	<input style="width: 25%;" type="text"/>	<b>Phone:</b>	<input style="width: 50%;" type="text"/>
<b>Contractor:</b>	<input style="width: 100%;" type="text"/>		
<b>Address:</b>	<input style="width: 100%;" type="text"/>		
<b>Notes:</b>	<input style="width: 100%; height: 30px;" type="text"/>		

**Approval Stamp:**